

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name IGEPAL CO 530

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance / Mixture**

- Emulsifier
- Surfactants for various applications

1.3 Details of the supplier of the safety data sheet**Company**

Solvay USA Inc.,
NOVECARE
504 Carnegie Center
Princeton, NJ, 08540, US
Telephone Number: 800-973-7873

1.4 Emergency telephone

FOR EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CONTACT: CHEMTREC 800-424-9300 within the United States and Canada, or 703-527-3887 for international collect calls.

SECTION 2: Hazards identification

Although OSHA has not adopted the environmental portion of the GHS regulations, this document may include information on environmental effects.

2.1 Classification of the substance or mixture**HCS 2012 (29 CFR 1910.1200)**

- | | |
|--------------------------------|----------------------------------|
| Acute toxicity, Category 4 | H302: Harmful if swallowed. |
| Skin irritation, Category 2 | H315: Causes skin irritation. |
| Serious eye damage, Category 1 | H318: Causes serious eye damage. |

2.2 Label elements**HCS 2012 (29 CFR 1910.1200)****Pictogram****Signal Word**

- || - Danger

Hazard Statements

- | | |
|--------|----------------------------|
| - H302 | Harmful if swallowed. |
| - H315 | Causes skin irritation. |
| - H318 | Causes serious eye damage. |

Precautionary StatementsPrevention

- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/ eye protection/ face protection.

Response

- P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
- P332 + P313 If skin irritation occurs: Get medical advice/ attention.
- P362 Take off contaminated clothing and wash before reuse.

2.3 Other hazards which do not result in classification

- H401: Toxic to aquatic life.
- H411: Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients**3.1 Substance**

- Chemical nature Nonyl phenoxy (polyethyleneoxy)ethanol

Hazardous Ingredients and Impurities

Chemical name	Identification number CAS-No.	Concentration [%]
Ethoxylated Nonylphenol, Branched	68412-54-4	>= 99 - <= 100

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

3.2 Mixture

Not applicable, this product is a substance.

SECTION 4: First aid measures**4.1 Description of first-aid measures****General advice**

- Show this material safety data sheet to the doctor in attendance.
- First responder needs to protect himself.
- Place affected apparel in a sealed bag for subsequent decontamination.

In case of inhalation

- Negligible or unlikely exposure pathways
- Move to fresh air in case of accidental inhalation of vapors.
- If symptoms persist, call a physician.

In case of skin contact

- Wash off immediately with plenty of water for at least 15 minutes.
- If a person feels unwell or symptoms of skin irritation appear, consult a physician.
- Remove contaminated clothing and shoes.

- Wash contaminated clothing before re-use.

In case of ingestion

- If victim is conscious:
- Rinse mouth with water.
- Keep at rest.

- Do not induce vomiting without medical advice.
- Do not leave the victim unattended.
- Vomiting may occur spontaneously
- Risk of product entering the lungs on vomiting after ingestion.
- Lay victim on side.
- Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed**Effects**

- Skin contact may aggravate existing skin disease

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.
- Treat symptomatically.
- There is no specific antidote available.

SECTION 5: Firefighting measures

Flash point > 200 °F (> 93 °C)
closed cup
Flammability class: Will burn

Autoignition temperature no data available

Flammability / Explosive limit no data available

5.1 Extinguishing media**Suitable extinguishing media**

- Dry chemical
- Carbon dioxide (CO₂)
- Foam

5.2 Special hazards arising from the substance or mixture**Specific hazards during fire fighting**

- Under fire conditions:
- Will burn

Hazardous combustion products:

- On combustion or on thermal decomposition (pyrolysis), releases:
- Carbon oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters

- Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

Specific fire fighting methods

- Cool containers/tanks with water spray.

Further information

- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Avoid contact with the skin and the eyes.
- Ventilate the area.
- Wear suitable protective equipment.
- For personal protection see section 8.

6.2 Environmental precautions

- Do not flush into surface water or sanitary sewer system.
- Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems.
- Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies

6.3 Methods and materials for containment and cleaning up***Methods for containment***

- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.

Recovery

- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
- Keep in suitable, closed containers for disposal.
- Keep in properly labeled containers.
- Never return spills in original containers for re-use.

Decontamination / cleaning

- Wash off with plenty of water.
- Wash nonrecoverable remainder with large amounts of water.
- Recover the cleaning water for subsequent disposal.
- Decontaminate tools, equipment and personal protective equipment in a segregated area.

Disposal

- Dispose of in accordance with local regulations.

Additional advice

- Material can create slippery conditions.

6.4 Reference to other sections

- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 13. DISPOSAL CONSIDERATIONS

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

- Handle in accordance with good industrial hygiene and safety practice.
- Avoid splashes.
- Avoid inhalation, ingestion and contact with skin and eyes.

- Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.
- Avoid localized overheating.
- Vent drums while heating
- Mix thoroughly before use.

- Ethylene oxide may collect in container head space.
- Provide adequate ventilation.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
 - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
 - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
 - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- Use clean, well maintained personal protection equipment.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures/Storage conditions**

- Keep container tightly closed in a dry and well-ventilated place.
- Keep away from incompatible materials to be indicated by the manufacturer
- Keep away from open flames, hot surfaces and sources of ignition.

Requirements for storage rooms and vessels

Recommended storage temperature: 59 - 120 °F (15 - 49 °C)

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

Introductory Remarks: These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

8.1 Control parameters

- Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Chemical name	Identification number CAS-No.	Exposure Limit Values
Ethoxylated Nonylphenol, Branched	68412-54-4	None

8.2 Exposure controls

Control measures

Engineering measures

- Where engineering controls are indicated by use conditions or a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures :
- Effective exhaust ventilation system

Individual protection measures

Respiratory protection

- When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.
- No personal respiratory protective equipment normally required.

Hand protection

- Where there is a risk of contact with hands, use appropriate gloves
- Gloves must be inspected prior to use.
- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Eye protection

- Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.
- Eye contact should be prevented through the use of:
 - Safety glasses with side-shields

Skin and body protection

- Protective suit
- Impervious clothing
- Footwear protecting against chemicals
- Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

- Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this materials:
 - 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
 - 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.
 - 3) Wash exposed skin promptly to remove accidental splashes or contact with material.
- Use clean, well maintained personal protection equipment.

Protective measures

- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards, and/or risks that may occur during use.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Emergency equipment immediately accessible, with instructions for use.
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product information phone number in Section 1 for its exact specifications.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	<u>Form:</u> viscous <u>Physical state:</u> liquid <u>Color:</u> slightly yellow
<u>Odor</u>	characteristic
<u>Odor Threshold</u>	no data available
<u>pH</u>	6.0 - 8.0 (10 % (m/v)) Aqueous solution
<u>Melting point/freezing point</u>	no data available
<u>Initial boiling point and boiling range</u>	<u>Boiling point/boiling range:</u> > 392 °F (> 200 °C)
<u>Flash point</u>	> 200 °F (> 93 °C) closed cup Flammability class: Will burn
<u>Evaporation rate (Butylacetate = 1)</u>	no data available
<u>Flammability (solid, gas)</u>	no data available
<u>Flammability (liquids)</u>	no data available
<u>Flammability / Explosive limit</u>	no data available
<u>Autoignition temperature</u>	no data available
<u>Vapor pressure</u>	no data available
<u>Vapor density</u>	no data available
<u>Density</u>	ca. 1.04 g/cm ³ (77 °F (25 °C))
<u>Relative density</u>	no data available

Solubility

Water solubility:
practically insoluble

Solubility in other solvents:
organic polar solvents : soluble

Aromatic hydrocarbons : soluble

Partition coefficient: n-octanol/water

Not applicable, Surface-Active.

Decomposition temperature

no data available

Viscosity

no data available

Explosive properties

no data available

Oxidizing properties

Not considered as oxidizing., Structure-activity relationship (SAR)

9.2 Other information

no data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

- Stable at normal ambient temperature and pressure.

10.2 Chemical stability

- Stable under normal conditions.
- Stable under recommended storage conditions.
- See chapter
- 7. HANDLING AND STORAGE

10.3 Possibility of hazardous reactions

- No dangerous reaction known under conditions of normal use.

Polymerization

- Hazardous polymerization does not occur.

10.4 Conditions to avoid

- Keep away from flames and sparks.
- Keep away from heat and sources of ignition.

10.5 Incompatible materials

- Strong oxidizing agents
- Strong reducing agents

10.6 Hazardous decomposition products

- On combustion or on thermal decomposition (following the evaporation of water) releases:
- Carbon oxides

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Acute oral toxicity 1,980 mg/kg - Rat , male and female
Harmful if swallowed.
Unpublished internal reports

Acute inhalation toxicity no data available

Acute dermal toxicity

Ethoxylated Nonylphenol, Branched The product has a low acute toxicity category approach
Expert judgment

Acute toxicity (other routes of administration) no data available

Skin corrosion/irritation

Rabbit
Irritating to skin.
Unpublished internal reports

Serious eye damage/eye irritation

Ethoxylated Nonylphenol, Branched Rabbit
Irreversible effects on the eye
Method: Draize Test
Unpublished internal reports

Respiratory or skin sensitization

Magnusson and Kligman method - Guinea pig
no cutaneous sensitization reaction observed
Published data

Mutagenicity**Genotoxicity in vitro**

Ethoxylated Nonylphenol, Branched category approach
Product is not considered to be genotoxic

Genotoxicity in vivo no data available

Carcinogenicity

Ethoxylated Nonylphenol, Branched Rat

Dog

category approach
The product is not considered to be carcinogenic.

This product does not contain any ingredient designated as probable or suspected human carcinogens by:

NTP
IARC
OSHA

ACGIH

Toxicity for reproduction and development**Toxicity to reproduction / fertility** no data available**Developmental Toxicity/Teratogenicity** no data available**STOT****STOT-single exposure**

Ethoxylated Nonylphenol, Branched

Routes of exposure: Ingestion, Skin contact
 The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria.
 category approach, internal evaluation

STOT-repeated exposure

Ethoxylated Nonylphenol, Branched

Routes of exposure: Ingestion
 The substance or mixture is not classified as specific target organ toxicant, repeated exposure according to GHS criteria.
 internal evaluation

Oral exposure 28 Days - Rat
 NOAEL: < 2.5 %
 Unpublished internal reports

Aspiration toxicity

no data available

SECTION 12: Ecological information**12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

Ethoxylated Nonylphenol, Branched

category approach
 Toxic to fish.

Acute toxicity to daphnia and other aquatic invertebrates.

no data available

Toxicity to aquatic plants

Ethoxylated Nonylphenol, Branched

category approach
 No adverse chronic effect observed up to and including the threshold of 1 mg / L.

Toxicity to microorganisms

no data available

Chronic toxicity to fish

no data available

Chronic toxicity to daphnia and other aquatic invertebrates. no data available

Chronic Toxicity to aquatic plants no data available

12.2 Persistence and degradability

Abiotic degradation no data available

Physical- and photo-chemical elimination no data available

Biodegradation

Biodegradability

Ethoxylated Nonylphenol, Branched

Ready biodegradability study:
The substance does not fulfill the criteria for ready biodegradability and ultimate aerobic biodegradability category approach
Expert judgment

Ultimate aerobic biodegradability
Not readily biodegradable.
No information available.
By analogy
Unpublished internal reports

Degradability assessment

Ethoxylated Nonylphenol, Branched

The product is not considered to be rapidly degradable in the environment

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable, Surface-Active.

Bioconcentration factor (BCF)

Ethoxylated Nonylphenol, Branched

category approach
Expert judgment
Not potentially bioaccumulable

12.4 Mobility in soil

Adsorption potential (Koc) no data available

Known distribution to environmental compartments

Ultimate destination of the product: Water

12.5 Results of PBT and vPvB assessment

Ethoxylated Nonylphenol, Branched This substance is not considered to be persistent, bioaccumulating, and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects no data available

Ecotoxicity assessment**Acute aquatic toxicity**

Ethoxylated Nonylphenol, Branched Toxic to aquatic life.

Chronic aquatic toxicity

Ethoxylated Nonylphenol, Branched Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product Disposal**

- Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

Prohibition

- Should not be released into the environment.
- Do not let product enter drains.

Waste Code

- Environmental Protection Agency
- Hazardous Waste – NO

Advice on cleaning and disposal of packaging

- Empty the packaging completely prior to disposal.
- Completely empty the packaging prior to decontamination.
- Carefully drain and then steam clean.
- Offer rinsed packaging material to local recycling facilities.

- Dispose of in accordance with local regulations.

SECTION 14: Transport information

Transportation status: IMPORTANT! Statements below provide additional data on listed transport classification. The listed Transportation Classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors.

DOT

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated nonylphenol)
14.3 Transport hazard class	9
Label(s)	9
14.4 Packing group	
Packing group	III
ERG No	171
14.5 Environmental hazards	YES
Marine pollutant	Marine Pollutant

TDG

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated nonylphenol)
14.3 Transport hazard class	9
Label(s)	9
14.4 Packing group	
Packing group	III
ERG No	171
14.5 Environmental hazards	YES
Marine pollutant	Marine Pollutant

NOM

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated nonylphenol)
14.3 Transport hazard class	9
Label(s)	9
14.4 Packing group	
Packing group	III
ERG No	171
14.5 Environmental hazards	NO
Marine pollutant	

IMDG

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated nonylphenol)
IMDG Code segregation group	Not Relevant

14.3 Transport hazard class	9
Label(s)	9
14.4 Packing group	
Packing group	III
14.5 Environmental hazards	YES
Marine pollutant	
14.6 Special precautions for user	
EmS	F-A , S-F

For personal protection see section 8.

IATA

14.1 UN number	UN 3082
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ethoxylated nonylphenol)
14.3 Transport hazard class	9
Label(s):	9
14.4 Packing group	
Packing group	III
Packing instruction (cargo aircraft)	964
Max net qty / pkg	450.00 L
Packing instruction (passenger aircraft)	964
Max net qty / pkg	450.00 L
14.5 Environmental hazards	YES
14.6 Special precautions for user	
For personal protection see section 8.	

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transportation regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information**15.1 Notification status**

Inventory Information	Status
United States TSCA Inventory	- On TSCA Inventory
Canadian Domestic Substances List (DSL)	- All components of this product are on the Canadian DSL
Australia Inventory of Chemical Substances (AICS)	- On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- On the inventory, or in compliance with the inventory

15.2 Federal Regulations**US. EPA EPCRA SARA Title III****SARA HAZARD DESIGNATION SECTIONS 311/312 (40 CFR 370)**

Fire Hazard	no
Reactivity Hazard	no
Sudden Release of Pressure Hazard	no
Acute Health Hazard	yes
Chronic Health Hazard	no

Section 313 Toxic Chemicals (40 CFR 372.65)

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients	CAS-No.	Concentration
Glycol Ethers	Not Assigned	< 10%

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Section 302 Emergency Planning Extremely Hazardous Substance Threshold Planning Quantity (40 CFR 355)

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Section 302 Emergency Planning Extremely Hazardous Substance Reportable Quantity (40 CFR 355)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb

Section 304 Emergency Release Notification Reportable Quantity (40 CFR 355)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb

US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)

Ingredients	CAS-No.	Reportable quantity
Ethylene Oxide	75-21-8	10 lb
1,4-Dioxane	123-91-1	100 lb

Other regulations**Restrictions on the marketing and use of certain dangerous substances and preparations**

- Regulation (EC) no 1907 / 2006 of the European Parliament and of the Council Of December 18, 2006—ANNEX XVII, Restrictions on the manufacture, placing on the market, and use of certain dangerous substances, preparations, and articles

FDA status

- This product meets the compositional requirements of:
- 21 CFR 175.105 ADHESIVES
- 21 CFR 176.180 COMP'TS OF PAPER/PAPERBOARD CONT./DRY FOOD
- 21 CFR 176.210 DEFOAMING AGENTS USED IN OF PAPER & PAPERBOARD
- 21 CFR 178.3400 EMULSIFIERS AND/OR SURFACE ACTIVE AGENTS

15.3 State Regulations**US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

WARNING! This product contains a chemical known in the State of California to cause cancer.

Ingredients	CAS-No.
1,4-Dioxane	123-91-1
Ethylene Oxide	75-21-8

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ingredients	CAS-No.
Ethylene Oxide	75-21-8

SECTION 16: Other information**NFPA (National Fire Protection Association) - Classification**

Health	3 serious
Flammability	1 slight
Instability or Reactivity	0 minimal

HMIS (Hazardous Materials Identification System (Paint & Coating)) - Classification

Health	3 serious
Flammability	1 slight
Reactivity	0 minimal
PPE	Determined by User; dependent on local conditions

Further information

- Product evaluated under the US GHS format.

Date Prepared: 11/22/2016

-
- | | |
|---------|---|
| - ACGIH | American Conference of Governmental Industrial Hygienists |
| - OSHA | Occupational Safety and Health Administration |
| - NTP | National Toxicology Program |
| - IARC | International Agency for Research on Cancer |
| - NIOSH | National Institute for Occupational Safety and Health |
-

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose, and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.