

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09

Version: 2.0

Page: 1/9

(30474417/SDS_GEN_MX/EN)

1. Identification

Product identifier used on the label

Microlith® Black 0066 A

Recommended use of the chemical and restriction on use

Recommended use*: colouring component

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Mexicana S.A. de C.V.

Av. Insurgentes Sur 975

Col. CD. De Los Deportes, C.P. 03710,

MEXICO

Telephone: +52 55 5325 2600

Emergency telephone number

Tel.: +1-800-849-5204 or +1-833-229-1000

CHEMTREC Int.: +1-703-527-3887

Other means of identification

Chemical family: pigment, preparation

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Combustible Dust

Combustible Dust (1)

Combustible Dust

Label elements

Signal Word:

Warning

Hazard Statement:

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 2/9
(30474417/SDS_GEN_MX/EN)

May form combustible dust concentration in air.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
1333-86-4	>= 50.0 - < 75.0%	carbon black

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 3/9
(30474417/SDS_GEN_MX/EN)

Suitable extinguishing media:
dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Additional information:
Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours
Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

Impact Sensitivity:

Assessment: Product is not explosive when subjected to mechanical impact.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.
For large amounts: Contain with dust binding material and dispose of.
Avoid raising dust.

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:
Avoid dust formation. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 4/9
(30474417/SDS_GEN_MX/EN)

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

carbon black	Exposure limits	STEL value 7 mg/m ³ ; TWA value 3.5 mg/m ³ ;
	NIOSH Pocket Guide to Chemical Hazards (US)	REL value 0.1 mg/m ³ ; REL value 3.5 mg/m ³ ;

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Eye wash fountains and safety showers must be easily accessible.

9. Physical and Chemical Properties

Form:	powder	
Odour:	odourless	
Odour threshold:	not determined	
Colour:	black	
pH value:	approx. 7 (as suspension)	
softening point:	> 150 °C The data refers to the carrier material.	
Melting point:	> 150 °C	
Boiling point:	not applicable	
Flash point:	Study does not need to be conducted.	
Flammability:	not highly flammable	
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Autoignition:	390 °C	(BAM)
Vapour pressure:	not applicable	
Density:	1.49 g/cm ³ (20 °C)	
Relative density:	No data available.	
Bulk density:	500 kg/m ³	
Vapour density:	The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	Study does not need to be conducted.	

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 5/9
(30474417/SDS_GEN_MX/EN)

Self-ignition temperature:	not self-igniting
Thermal decomposition:	> 200 °C No decomposition if correctly stored and handled.
Viscosity, dynamic:	Study does not need to be conducted.
Particle size:	No data available.
% volatiles:	not determined
Solubility in water:	not soluble
Solubility (quantitative):	insoluble
Solubility (qualitative):	soluble
Evaporation rate:	solvent(s): organic solvents, The product is a non-volatile solid.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 200 °C

No decomposition if correctly stored and handled.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 6/9
(30474417/SDS_GEN_MX/EN)

Inhalation

Type of value: LC50
not determined

Dermal

Type of value: LD50
not determined

Irritation / corrosion

Assessment of irritating effects: Prolonged exposure to the product can result in irritation of the skin and mucous membranes. The product has not been tested. The statement has been derived from the properties of the individual components.

Skin

Species: rabbit
Result: non-irritant
Method: OECD Guideline 404
The product has not been tested. The statement has been derived from the properties of the individual components.

Eye

Species: rabbit
Result: non-irritant
Method: OECD Guideline 405
The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity: Contains a compound classified as IARC Group 2B (possibly carcinogenic to humans). The product has not been tested. The statement has been derived from the properties of the individual components.

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 7/9
(30474417/SDS_GEN_MX/EN)

Information on: carbon black

Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term animal studies in which the substance was given by inhalation in high concentrations, a carcinogenic effect was observed. A clear indication of an increased risk of cancer in humans has so far not been shown. No carcinogenic potential can be deduced from other studies with rats and mice.

Reproductive toxicity

Assessment of reproduction toxicity: The data available for an assessment of the effect of the substance on reproduction are not sufficient for a proper evaluation. The product has not been tested. The statement has been derived from the properties of the individual components.

Teratogenicity

Assessment of teratogenicity: The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation. The product has not been tested. The statement has been derived from the properties of the individual components.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

LC50 (96 h), Fish
not determined

Aquatic invertebrates

LC50 (48 h), daphnia
not determined

Aquatic plants

EC50 (72 h), algae
not determined

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 8/9
(30474417/SDS_GEN_MX/EN)

bacteria/EC50 (0.5 h):
not determined

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants. The product has not been tested. The statement has been derived from the properties of the individual components.

Elimination information

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Bioaccumulation potential

Because of the product's consistency and low water solubility, bioavailability is improbable.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

VOC content:

Safety Data Sheet

Microlith® Black 0066 A

Revision date : 2017/05/09
Version: 2.0

Page: 9/9
(30474417/SDS_GEN_MX/EN)

not determined

Federal Regulations

Not applicable

NFPA Hazard codes:

Health : 2 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 2⁺ Flammability: 1 Physical hazard: 0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2017/05/09

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Microlith® Black 0066 A is a registered trademark of BASF Mexicana or BASF SE

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET