

Safety Data Sheet

Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ultra – Fluid PDMS 200

Recommended use of the chemical and restrictions on use

Recommended use : Industrial chemical

Manufacturer or supplier's details

Company : Univar Solutions México, S. de R.L. de C.V.
Address : Av. Xola, número 535, piso 2, Col. Del Valle Norte
Deleg. Benito Juárez CP 03103
Ciudad de México
Mexico

Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

SETIQ 800 00 214 00 / 55 55 59 15 88

Additional Information: : Responsible Party: Product Compliance Department
E-Mail: SDSLA@univarsolutions.com
SDS Requests: 55 1107 0170
Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 44.9999 %

This SDS was prepared according to NOM-018-STPS-2015.

Safety Data Sheet

Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
63148-62-9	Siloxanes and Silicones, di-Me	50 - 70

Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO₂)
Water spray
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Safety Data Sheet

Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Organic vapour type
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concen-

Safety Data Sheet
Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

tration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: Clear, Colorless
Odour	: odorless
Odour Threshold	: No data available
pH	: No data available
Freezing point (Freezing Point)	: < -25 °C (< -13 °F)
Boiling point (Boiling point/boiling range)	: > 200 °C (> 392 °F)
Flash point	: > 300 °C (> 572 °F)
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: > 1 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0)
Relative density	: No data available
Density	: 0.961 - 0.975 g/cm ³ @ 20 - 25 °C (68 - 77 °F)
Solubility(ies)	
Water solubility	: insoluble @ 20 °C (68 °F)
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: None known.

Safety Data Sheet

Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

63148-62-9:

Acute inhalation toxicity : LC50 (Rat, male and female): mg/m³ > 11.582
Assessment: The substance or mixture has no acute inhalation toxicity

Serious eye damage/eye irritation

Components:

63148-62-9:

Result: Irritating to eyes.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Further information

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 44.9999 %

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Safety Data Sheet

Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

- | | | |
|------------------------|---|---|
| Waste from residues | : | Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-909-4897 |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers. |

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation): Not regulated as a dangerous good

MX-DG(Mexico Road Transportation): Not regulated as a dangerous good

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG (International Maritime Dangerous Goods): Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

- | | | |
|-------|---|--|
| TSCA | : | On TSCA Inventory |
| DSL | : | This product contains one or several components that are not on the Canadian DSL nor NDSL. |
| AICS | : | Not in compliance with the inventory |
| NZIoC | : | Not in compliance with the inventory |
| ENCS | : | Not in compliance with the inventory |
| KECI | : | Not in compliance with the inventory |
| PICCS | : | Not in compliance with the inventory |
| IECSC | : | Not in compliance with the inventory |

Safety Data Sheet

Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

SECTION 16. OTHER INFORMATION

Further information

Other information : The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (55 1107 0170)
SDSLA@univarsolutions.com.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemi-	PEL	Permissible Exposure Limit

Safety Data Sheet

Ultra – Fluid PDMS 200

Version 1.1

Revision Date: 12/14/2020

EINECS	chemicals Association European Inventory of Existing Chemical Sub- stances	PICCS	Philippines Invento- ry of Commercial Chemical Sub- stances
MAK	Germany Maxi- mum Concentra- tion Values	PRNT	Presumed Not Toxic
GHS	Globally Harmo- nized System	RCRA	Resource Conser- vation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Expo- sure Limit
IC50	Inhibition Concen- tration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Re- search on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Exist- ing Chemical Sub- stances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Invento- ry	UVCB	Unknown or Varia- ble Compositon, Complex Reaction Products, and Bio- logical Materials
<=	Less Than or Equal To	WHMIS	Workplace Haz- ardous Materials Information Sys- tem
LC50		Lethal Concentration 50%	