

Safety Data Sheet**ULTRA HTV DISCO BLUE 9 IN**

Version 1.1

Revision Date: 12/14/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product name** : ULTRA HTV DISCO BLUE 9 IN**Recommended use of the chemical and restrictions on use**

Recommended use : Colouring agent

Manufacturer or supplier's details**Company** : Univar Solutions México, S. de R.L. de C.V.
Address : Av. Xola, número 535, piso 2, Col. Del Valle Norte
Deleg. Benito Juárez CP 03103
Ciudad de México
Mexico**Emergency telephone number:**

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

SETIQ 800 00 214 00 / 55 55 59 15 88

Additional Information: : Responsible Party: Product Compliance Department
E-Mail: SDSLA@univarsolutions.com
SDS Requests: 55 1107 0170
Website: www.univarsolutions.com**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Skin irritation : Category 3

Carcinogenicity : Category 1A

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 1 (Lungs)
- repeated exposure**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H316 Causes mild skin irritation.
H350 May cause cancer.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure.**Precautionary statements** : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P281 Use personal protective equipment as required.
Response:
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.
Storage:
 P405 Store locked up.
Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

This SDS was prepared according to NOM-018-STPS-2015.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
14808-60-7	Quartz (SiO ₂)	20 - 30
112945-52-5	Silicon, amorphous	1 - 5
556-67-2	Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-	1 - 5
80-43-3	Dicumyl peroxide	1 - 5

Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing and shoes.
 Wash off with soap and plenty of water.
 If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water as a precaution.
 Remove contact lenses.
 Protect unharmed eye.
 Keep eye wide open while rinsing.
 If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.
 Keep respiratory tract clear.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.

Safety Data Sheet**ULTRA HTV DISCO BLUE 9 IN**

Version 1.1

Revision Date: 12/14/2020

Most important symptoms and effects, both acute and delayed : Take victim immediately to hospital.
: None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Dry chemical
Carbon dioxide (CO₂)
Alcohol-resistant foam

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Silica
Carbon oxides
formaldehyde
Nitrogen oxides (NO_x)

Specific extinguishing methods : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
14808-60-7	Quartz (SiO ₂)	LMPE-PPT	0.1 mg/m ³	MX OEL
		VLE-PPT (Respirable fraction)	0.025 mg/m ³	NOM-010-STPS-2014
R7		TWA (Respirable fraction)	0.025 mg/m ³ (Silica)	ACGIH
112945-52-5	Silicon, amorphous	LMPE-PPT (Inhalable particles)	10 mg/m ³	MX OEL
		LMPE-PPT (as respirable particles)	3 mg/m ³	MX OEL
		LMPE-PPT (Inhalable particles)	10 mg/m ³ (Silica)	MX OEL
		LMPE-PPT (as respirable particles)	3 mg/m ³ (Silica)	MX OEL

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Particulates type
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

Colour	: Characteristic
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Amines Heavy metals Hydrogen fluoride Oxidizing agents Reducing agents Sulphur compounds Rust Dirt Incompatible with strong acids and bases.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Components:

556-67-2:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 36 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Components:

112945-52-5:

Result: Irritating to skin.

556-67-2:

Species: Rabbit

Result: No skin irritation

80-43-3:

Species: Rabbit

Exposure time: 4 h

Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

112945-52-5:

Result: Irritating to eyes.

556-67-2:

Species: Rabbit

Result: No eye irritation

80-43-3:

Species: Rabbit

Result: Irritating to eyes.

Exposure time: 1 h

Respiratory or skin sensitisation

Components:

556-67-2:

Test Type: Maximisation Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

Germ cell mutagenicity

Components:

14808-60-7:

Germ cell mutagenicity - Assessment : Mutagenicity classification not possible from current data

556-67-2:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Species: Chinese hamster ovary (CHO)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Rat
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Components:

14808-60-7:

Species: Rat
Application Route: Inhalation
Exposure time: 2 yr
Activity duration: 6 h
Dose: 1 mg/m³
Frequency of Treatment: 5 days/week
Result: evidence of carcinogenic activity
Symptoms: Tumors

Carcinogenicity - Assessment : Human carcinogen.

556-67-2:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

14808-60-7:

Reproductive toxicity - Assessment : Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

556-67-2:

Effects on fertility : Species: Rat
General Toxicity - Parent: NOAEC: 300 ppm

Effects on foetal development : Species: Rabbit
General Toxicity Maternal: NOAEL: 300 ppm
Teratogenicity: NOAEL: 500 ppm

Safety Data Sheet**ULTRA HTV DISCO BLUE 9 IN**

Version 1.1

Revision Date: 12/14/2020

Teratogenicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure**Components:****112945-52-5:**

Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure**Components:****14808-60-7:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****556-67-2:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Chronic aquatic toxicity- Assessment : May cause long lasting harmful effects to aquatic life.

80-43-3:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: semi-static testToxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 20 mg/l
End point: Biomass

Safety Data Sheet**ULTRA HTV DISCO BLUE 9 IN**

Version 1.1

Revision Date: 12/14/2020

Exposure time: 72 h

Test Type: static test

Chronic aquatic toxicity- Assessment : Toxic to aquatic life with long lasting effects.

Persistence and degradability**Components:****14808-60-7:**

Biodegradability : Remarks: No data available

112945-52-5:

Biodegradability : Remarks: No data available

556-67-2:

Biodegradability : aerobic
Inoculum: activated sludge
Biodegradation: 3.7 %
Exposure time: 29 d

80-43-3:

Biodegradability : Biodegradation: 18 %
Testing period: 15 d
Exposure time: 28 d
Test substance: dicumyl peroxide
Remarks: Not readily biodegradable.

Bioaccumulative potential**Components:****556-67-2:**

Partition coefficient: n-octanol/water : log Pow: 6.488 (25.1 °C)

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-909-4897

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation): Not regulated as a dangerous good

MX-DG(Mexico Road Transportation): Not regulated as a dangerous good

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG (International Maritime Dangerous Goods): Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

TSCA	: Not On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Other information : The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (55 1107 0170) SDSLA@univarsolutions.com.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic

Safety Data Sheet

ULTRA HTV DISCO BLUE 9 IN

Version 1.1

Revision Date: 12/14/2020

GHS	tion Values Globally Harmo- nized System	RCRA	Resource Conser- vation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Expo- sure Limit
IC50	Inhibition Concen- tration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Re- search on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Exist- ing Chemical Sub- stances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Invento- ry	UVCB	Unknown or Varia- ble Compositon, Complex Reaction Products, and Bio- logical Materials
<=	Less Than or Equal To	WHMIS	Workplace Haz- ardous Materials Information Sys- tem
LC50		Lethal Concentration	50%