

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ultra Synox 626

Recommended use of the chemical and restrictions on use

Recommended use : Industrial chemical

Manufacturer or supplier's details

Company : Univar Solutions México, S. de R.L. de C.V.
Address : Av. Xola, número 535, piso 2, Col. Del Valle Norte
Deleg. Benito Juárez CP 03103
Ciudad de México
Mexico

Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

SETIQ 800 00 214 00 / 55 55 59 15 88

Additional Information: : Responsible Party: Product Compliance Department
E-Mail: SDSLA@univarsolutions.com
SDS Requests: 55 1107 0170
Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H402 Harmful to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

This SDS was prepared according to NOM-018-STPS-2015.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical name	Weight percent
26741-53-7	2,4,8,10-Tetraoxa-3,9-diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis(1,1-dimethylethyl)phenoxy]-	90 - 100

Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed : None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Dry chemical
Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Nitrogen oxides (NO_x)
Carbon oxides

No hazardous combustion products are known

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid dust formation.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	: For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Hygiene measures	: Wash hands before breaks and at the end of workday.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally required. In the case of vapour formation use a respirator with an approved filter. No personal respiratory protective equipment normally required.
------------------------	---

Hand protection

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Colour	: white
Odour	: phenol-like
Odour Threshold	: No data available
pH	: No data available
Freezing point (Melting point/range)	: 170 - 180 °C (338 - 356 °F)
Boiling point	: No data available
Flash point	: 168 °C (334 °F)
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: slightly soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources. Dust formation
Incompatible materials	: Oxidizing agents strong bases strong oxidizing agents

Safety Data Sheet
Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

water

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Components:****26741-53-7:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity**Skin corrosion/irritation****Components:****26741-53-7:**

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation**Components:****26741-53-7:**

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation**Components:****26741-53-7:**

Test Type: Maximization test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Components:****26741-53-7:**Genotoxicity in vitro : Test Type: Ames test
Species: Salmonella typhimurium
Result: negativeGenotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Components:

26741-53-7:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Components:

26741-53-7:

Effects on fertility : Test Type: Fertility
Species: Rat
General Toxicity - Parent: NOAEL: 100 ppm

Effects on foetal development : Species: Rabbit
General Toxicity Maternal: NOAEL: 200 mg/kg body weight
Teratogenicity: NOAEL: 200 mg/kg body weight

Teratogenicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Aspiration toxicity

Components:

26741-53-7:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

26741-53-7:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 70.7 mg/l

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 97 mg/l

Acute aquatic toxicity- Assessment : Harmful to aquatic life.

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

Chronic aquatic toxicity- Assessment : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

26741-53-7:

Biodegradability : Remarks: not readily biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-909-4897

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation): Not regulated as a dangerous good

MX-DG(Mexico Road Transportation): Not regulated as a dangerous good

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG (International Maritime Dangerous Goods): Not regulated as a dangerous good

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

Special precautions for user

Not applicable

Special Notes: : This material is shipped by DOT as a Class 9, Packing Group III (Marine Pollutant) when in bulk packaging, otherwise it may be shipped as not regulated.

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Other information : The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data may become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (55 1107 0170)
SDSLA@univarsolutions.com.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Exist-	TWA	Time Weighted

Safety Data Sheet

Ultra Synox 626

Version 1.2

Revision Date: 12/14/2020

ENCS	ing Chemical Substances in China Japan, Inventory of Existing and New Chemical Substances	TSCA	Average Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50		Lethal Concentration 50%	