

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dispersion Old Gold 18RB1

Recommended use of the chemical and restrictions on use

Recommended use : Industrial chemical

Manufacturer or supplier's details

Company : Univar Solutions México, S. de R.L. de C.V.
Address : Av. Xola, número 535, piso 2, Col. Del Valle Norte
 Deleg. Benito Juárez CP 03103
 Ciudad de México
 Mexico

Emergency telephone number:

Transport North America: CHEMTREC (1-800-424-9300)

CHEMTREC INTERNATIONAL Tel # 703-527-3887

SETIQ 800 00 214 00 / 55 55 59 15 88

Additional Information: : Responsible Party: Product Compliance Department
 E-Mail: SDSLA@univarsolutions.com
 SDS Requests: 55 1107 0170
 Website: www.univarsolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Skin irritation : Category 3

Eye irritation : Category 2A

Specific target organ toxicity : Category 1 (Lungs)
 - repeated exposure (Inhalation)

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
 H316 Causes mild skin irritation.
 H319 Causes serious eye irritation.
 H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**
 P210 Keep away from heat/sparks/open flames/hot surfaces.
 No smoking.
 P233 Keep container tightly closed.

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

This SDS was prepared according to NOM-018-STPS-2015.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
64-17-5	Ethanol	70 - 90
12001-26-2	Mica	5 - 10
13463-67-7	Titanium Dioxide	5 - 10
1309-37-1	Iron oxide (Fe ₂ O ₃)	1 - 5

Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

	advice.
	If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician.
	If on skin, rinse well with water.
	If on clothes, remove clothes.
In case of eye contact	: Immediately flush eye(s) with plenty of water.
	Remove contact lenses.
	Protect unharmed eye.
	Keep eye wide open while rinsing.
	If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear.
	Do not give milk or alcoholic beverages.
	Never give anything by mouth to an unconscious person.
	If symptoms persist, call a physician.
	Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	: None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Recommended storage temperature : 0 - 45 °C

Storage period : 24 Months

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64-17-5	Ethanol	LMPE-PPT	1,000 ppm 1,900 mg/m ³	MX OEL
		VLE-CT	1,000 ppm	NOM-010-STPS-2014

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

R7		STEL	1,000 ppm	ACGIH
12001-26-2	Mica	LMPE-PPT	3 mg/m3	MX OEL
		VLE-PPT (Respirable fraction)	3 mg/m3	NOM-010-STPS-2014
R7		TWA (Respirable fraction)	3 mg/m3	ACGIH
13463-67-7	Titanium Dioxide	LMPE-PPT	10 mg/m3 (Titanium)	MX OEL
		LMPE-CT	20 mg/m3 (Titanium)	MX OEL
		VLE-PPT	10 mg/m3	NOM-010-STPS-2014
R7		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
1309-37-1	Iron oxide (Fe2O3)	LMPE-PPT	5 mg/m3 (Iron)	MX OEL
		LMPE-CT	10 mg/m3 (Iron)	MX OEL
		VLE-PPT (Respirable fraction)	5 mg/m3	NOM-010-STPS-2014
R7		TWA (Respirable fraction)	5 mg/m3	ACGIH

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Combined particulates and organic vapour type
Hand protection	:	
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	gold
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	13.0 °C (55.4 °F)

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

	Value for Component
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 0.888 - 0.918 Reference substance: (water = 1)
Density	: 0.921 g/cm ³ @ 20 °C (68 °F)
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Oxidizing agents

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Components:

12001-26-2:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

Skin corrosion/irritation

Components:

12001-26-2:

Species: Rabbit

Result: Irritating to skin.

Serious eye damage/eye irritation

Components:

64-17-5:

Species: Rabbit

Result: Irritating to eyes.

12001-26-2:

Species: Rabbit

Result: Irritating to eyes.

Germ cell mutagenicity

Components:

12001-26-2:

Genotoxicity in vitro

: Test Type: Ames test

Species: Salmonella typhimurium

Result: negative

Germ cell mutagenicity -
Assessment

: Tests on bacterial or mammalian cell cultures did not show
mutagenic effects.

13463-67-7:

Germ cell mutagenicity -
Assessment

: Tests on bacterial or mammalian cell cultures did not show
mutagenic effects.

Carcinogenicity

Components:

12001-26-2:

Carcinogenicity - Assess-
ment

: No evidence of carcinogenicity in animal studies.

13463-67-7:

Carcinogenicity - Assess-
ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Components:

12001-26-2:

Teratogenicity - Assessment

: No evidence of adverse effects on sexual function and fertility,
or on development, based on animal experiments.

13463-67-7:

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

Teratogenicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Components:

12001-26-2:

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: May cause respiratory irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Components:

12001-26-2:

Exposure routes: Inhalation

Target Organs: Lungs

Assessment: Causes damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

12001-26-2:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

1309-37-1:

Chronic aquatic toxicity- Assessment : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

64-17-5:

Biodegradability : Result: Readily biodegradable.

13463-67-7:

Biodegradability : Remarks: No data available

1309-37-1:

Biodegradability : Remarks: No data available

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

Bioaccumulative potential

Components:

64-17-5:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

13463-67-7:

Bioaccumulation : Bioconcentration factor (BCF): 112

1309-37-1:

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-909-4897

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN1993, Flammable liquids, n.o.s., (ETHANOL), 3, II

MX-DG (Mexico Road Transportation):

UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL), 3, II

IATA (International Air Transport Association):

UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL) , 3, II, Flash Point:13.0 °C(55.4 °F)

IMDG (International Maritime Dangerous Goods):

UN1993, FLAMMABLE LIQUID, N.O.S., (ETHANOL), 3, II

Special precautions for user

Not applicable

Safety Data Sheet
Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

SECTION 15. REGULATORY INFORMATION**The components of this product are reported in the following inventories:**

TSCA	: Not On TSCA Inventory
DSL	: On the inventory, or in compliance with the inventory
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION**Further information**

Other information : The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (55 1107 0170)
SDSLA@univarsolutions.com.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial	LD50	Lethal Dose 50%
-------	--	------	-----------------

Safety Data Sheet

Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

AICS	Hygienists Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing	UVCB	Unknown or Varia-

Safety Data Sheet
Dispersion Old Gold 18RB1

Version 1.1

Revision Date: 12/14/2020

	Chemical Inventory		ble Compositon, Complex Reaction Products, and Bio- logical Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50		Lethal Concentration 50%	