

**TIOXIDE® TR48**

Version            Revision Date:            SDS Number:            Date of last issue: 03/14/2018  
2.3                06/08/2018                40000001354            Date of first issue: 09/02/2016

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name                                : TIOXIDE® TR48

**Manufacturer or supplier's details**

Company name of supplier                : Venator Americas LLC  
Address                                        : 10001 Woodloch Forest Drive  
    The Woodlands,  
    TX 77380  
    United States of America (USA)  
Telephone                                     : (001) 844 831 6720  
Telefax                                        : (001) 281 465 6731

E-mail address of person                 : msds@venatorcorp.com  
responsible for the SDS

Emergency telephone number             : USA & Canada: +1-800-424-9300    Other Americas: +1-703-  
    741-5970    [CCN 820025]

**Recommended use of the chemical and restrictions on use**

Recommended use                         : Opacifying agent  
    Pigment

Restrictions on use                        : Do not use for cosmetics, food additives, drug additives, feed  
    additives or permanent implant applications., Due to lack of  
    related experience or data, the supplier cannot approve this  
    use.

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture                        : Substance

Chemical nature                              : inorganic

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

titanium dioxide	13463-67-7	90 - 100
------------------	------------	----------

**SECTION 4. FIRST AID MEASURES**

- General advice : Do not leave the victim unattended.  
Treat symptomatically.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.  
If conscious, make the victim drink the following:  
Give small amounts of water to drink.  
Do not induce vomiting without medical advice.  
Consult a physician if necessary.
- Most important symptoms and effects, both acute and delayed : Dust contact with the eyes can lead to mechanical irritation.  
Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.  
The product is not irritant but as with all fine powders can absorb moisture and natural oils from the surface of the skin during prolonged exposure.  
Individuals with sensitive skin may experience skin drying on prolonged or repeated exposure.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.
- Notes to physician : No specific measures identified.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Product is compatible with standard fire-fighting agents.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : No information available.
- Hazardous combustion products : No hazardous combustion products are known

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

- Specific extinguishing methods : Cool containers/tanks with water spray. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.  
Prevent unauthorised persons entering the zone.  
Avoid dust formation.  
Remove all sources of ignition.  
Ventilate the area.  
Avoid breathing dust.  
Keep people away from and upwind of spill/leak.  
Only qualified personnel equipped with suitable protective equipment may intervene.  
Never return spills in original containers for re-use.  
Treat recovered material as described in the section "Disposal considerations".  
For disposal considerations see section 13.  
The danger areas must be delimited and identified using relevant warning and safety signs.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Clean-up methods - small spillage  
Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.
- Clean-up methods - large spillage  
Approach release from upwind.  
Clean up promptly by sweeping or vacuum.  
Avoid creating dusty conditions and prevent wind dispersal.  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : Ensure that eyewash stations and safety showers are close to the workstation location.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on protection against : Normal measures for preventive fire protection.

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

fire and explosion

Advice on safe handling : For personal protection see section 8.  
Avoid creating dust.  
Smoking, eating and drinking should be prohibited in the application area.

Manual handling guidelines should be adhered to when handling sacks.  
In the manufacture of titanium dioxide, product is packaged at temperatures of approximately 100 to 120° C (212 to 248° Fahrenheit). When pigment is shipped shortly after manufacture, it may stay hot for a very long time depending on ambient temperatures and inventory storage practices. Due to the potential of elevated pigment temperature, caution should be used while handling pigment and in solvent applications. Each work environment must be assessed to determine hazards.  
Emptying of flexible intermediate bulk containers (FIBC's) can generate static electricity. Customers using FIBC's should consult leaflet "Tiotainer® Handling Guidelines".  
Empty FIBC's by gravity only (do not empty pneumatically).  
Remove all wrapping prior to emptying FIBC's.  
In all cases, the protective cover or wrapping should remain in place during storage and only be removed immediately prior to use.  
Care should be taken to avoid moisture, particularly with a partly used pallet of material.  
When transferring from one container to another apply earthing measures and use conductive hose material.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

Smoking, eating and drinking should be prohibited in the application area.  
Wash face, hands and any exposed skin thoroughly after handling.  
Remove contaminated clothing and protective equipment before entering eating areas.  
Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.  
Wash hands before breaks and at the end of workday.

Conditions for safe storage : Store in accordance with the particular national regulations.  
Keep only in the original container in a cool, well ventilated place away from oxidizing agents.  
Keep in a dry place.  
Keep cool. Protect from sunlight.  
Eliminate all ignition sources if safe to do so.  
Keep container closed when not in use.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Use appropriate container to avoid environmental contamination.  
When using standard pallets, those containing paper or plastics bags

**TIOXIDE® TR48**

Version 2.3      Revision Date: 06/08/2018      SDS Number: 400000001354      Date of last issue: 03/14/2018  
 Date of first issue: 09/02/2016

can be stacked to a maximum of 2 high.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : Keep in a dry place.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
titanium dioxide	13463-67-7	LMPE-PPT	10 mg/m <sup>3</sup> (Titanium)	MX OEL
		LMPE-CT	20 mg/m <sup>3</sup> (Titanium)	MX OEL
		VLE-PPT	10 mg/m <sup>3</sup>	NOM-010-STPS-2014
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

**Engineering measures** : Ensure adequate ventilation, especially in confined areas. Use engineering controls to keep exposures below the OEL or DNEL

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Filter type : P2 filter

Hand protection Directive : Use gloves approved to relevant standards e.g. EN 374 (Europe), F739 (US).

Eye protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Protective measures : Wear suitable protective equipment.

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: powder
Colour	: white
Odour	: slight
Odour Threshold	: No data is available on the product itself.
pH	: > 5 (20 °C) Concentration: 100 g/l
Melting point	: ca. 1,800 °C
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Burning rate	: Will not burn Not combustible.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: No data is available on the product itself.
Relative density	: No data is available on the product itself.
Density	: 1.4 g/cm <sup>3</sup> Bulk density  4.1 g/cm <sup>3</sup> (20 °C) Skeletal density
Solubility(ies)	
Water solubility	: Not applicable
Solubility in other solvents	: Solvent: Methanol Description: insoluble
Partition coefficient: n-octanol/water	: No data is available on the product itself.

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

Auto-ignition temperature : No data is available on the product itself.

Thermal decomposition : No data is available on the product itself.

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

Viscosity : No data is available on the product itself.

Explosive properties : No data is available on the product itself.

Oxidizing properties : None.

Impact sensitivity : Not impact sensitive.

Molecular weight : No data available

Particle size : No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : None known.

Hazardous decomposition products : At high temperature, decomposition products could include trace of alpha-ethyl acrolein and formaldehyde.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : No data is available on the product itself.

**Acute toxicity****Components:**

titanium dioxide:

Acute oral toxicity Components : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
Assessment: The substance or mixture has no acute oral toxicity

**Components:**

titanium dioxide:

Acute inhalation toxicity : LC50 (Rat, male and female): 3.43 - 5.09 mg/l

**TIOXIDE® TR48**

Version 2.3      Revision Date: 06/08/2018      SDS Number: 400000001354      Date of last issue: 03/14/2018  
Date of first issue: 09/02/2016

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**Components:**

titanium dioxide:  
Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Components:**

titanium dioxide:  
Species: Rabbit  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: Normally reversible injuries

**Serious eye damage/eye irritation****Components:**

titanium dioxide:  
Species: Rabbit  
Result: Normally reversible injuries  
Assessment: No eye irritation  
Method: OECD Test Guideline 405

**Respiratory or skin sensitisation****Components:**

titanium dioxide:  
Test Type: Local lymph node assay (LLNA)  
Exposure routes: Skin  
Species: Mouse  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 429  
Result: Does not cause skin sensitisation.

Exposure routes: Skin  
Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.

**Components:**

titanium dioxide:  
Assessment: No skin irritation, No eye irritation  
Does not cause skin sensitisation., Does not cause respiratory

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

sensitisation.

**Germ cell mutagenicity****Components:**

titanium dioxide:

Genotoxicity in vitro

: Test Type: Ames test  
 Concentration: 100 - 200 ug/plate  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Concentration: 31 - 500 µg/L  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Concentration: 125 - 2500 µg/L  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 473  
 Result: negative

**Components:**

titanium dioxide:

Genotoxicity in vivo

: Test Type: Micronucleus test  
 Species: Mouse (males)  
 Application Route: Inhalation  
 Exposure time: 5 consecutive days  
 Dose: 0.8, 7.2, and 28.5 mg/m<sup>3</sup>  
 Method: OECD Test Guideline 474  
 Result: negative

Test Type: Micronucleus test  
 Species: Rat (male and female)  
 Application Route: Oral  
 Exposure time: once  
 Dose: 500, 1000, and 2000 mg/kg bw  
 Method: OECD Test Guideline 474  
 Result: negative

**Components:**

titanium dioxide:

Germ cell mutagenicity-  
 Assessment

: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

Germ cell mutagenicity-  
 Assessment

: No data available

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	400000001354	Date of first issue: 09/02/2016

**Carcinogenicity****Components:**

titanium dioxide:  
 Species: Rat, male and female  
 Application Route: Oral  
 Exposure time: 103 weeks  
 Dose: 0, 25000, 50000 ppm  
 Frequency of Treatment: 7 days/week  
 NOAEL: > 50.000 ppm

Method: No information available.

Remarks: Titanium Dioxide: based on the results of chronic inhalation studies (with positive results only in a single species - rat), IARC has concluded that: "There is inadequate evidence in humans for the carcinogenicity of titanium dioxide. " but that : "There is sufficient evidence in experimental animals for carcinogenicity of titanium dioxide". IARC's overall evaluation was that "titanium dioxide is possibly carcinogenic to humans (Group 2B)."

Venator has examined all of the available animal carcinogenicity and mechanistic data together with workplace epidemiology data for titanium dioxide and concludes that the weight of scientific evidence indicates that there is no causative link between titanium dioxide exposure and cancer risk in humans and that workplace exposures in compliance with applicable exposure standards will not result in lung cancer or chronic respiratory diseases in humans.

**Components:**

titanium dioxide:  
 Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Reproductive toxicity**

Effects on fertility : No data available

**Components:**

titanium dioxide:  
 Effects on foetal development : Species: Rat, male and female  
 Application Route: Oral  
 Dose: 100, 300, and 1000 mg/kg bw/  
 Duration of Single Treatment: 20 d  
 Frequency of Treatment: 7 days/week  
 General Toxicity Maternal: No observed adverse effect level:  
 1,000 mg/kg body weight  
 Developmental Toxicity: No observed adverse effect level:  
 1,000 mg/kg body weight  
 Method: OECD Test Guideline 414  
 Result: No adverse effects

**Components:**

titanium dioxide:  
 Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**STOT - single exposure**

No data available

**TIOXIDE® TR48**

Version      Revision Date:      SDS Number:      Date of last issue: 03/14/2018  
2.3          06/08/2018          400000001354      Date of first issue: 09/02/2016

---

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**

titanium dioxide:

Species: Rat, male and female

: 3500 mg/m<sup>3</sup>

Application Route: Ingestion

Test atmosphere: dust/mist

Exposure time: 2 yr

Number of exposures: 5 d

Method: Chronic toxicity

Species: Rat, male and female

: 10 - 50 mg/m<sup>3</sup>

Application Route: Inhalation

Exposure time: 2 yr

Number of exposures: 6 hours/day, 5 days/week

Method: Chronic toxicity

**Components:**

titanium dioxide:

Repeated dose toxicity -      : No skin irritation, No eye irritation

Assessment                      No adverse effect has been observed in chronic toxicity tests.

**Aspiration toxicity**

No data available

**Experience with human exposure**

General Information:      No data available

Inhalation:                      No data available

Skin contact:                      No data available

Eye contact:                      No data available

Ingestion:                      No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

**Further information**

Ingestion: No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

titanium dioxide:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Test substance: Marine water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : No data available

Toxicity to algae : No data available

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available

M-Factor (Chronic aquatic toxicity) : No data available

Toxicity to microorganisms : No data available

Toxicity to soil dwelling organisms : No data available

**Components:**

titanium dioxide:

Plant toxicity : NOEC: 100,000 mg/kg  
Exposure time: 480 h

**Components:**

titanium dioxide:

Sediment toxicity : (Gammarus pulex (Amphipod)): > 100000 mg/kg sediment dw

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

Study: Acute  
 Test Type: semi-static test  
 Water: Fresh water  
 Exposure duration: 28 d  
 Method: ASTM Method, other

(Gammarus pulex (Amphipod)): 100000 mg/kg sediment dw  
 Study: Chronic  
 Test Type: semi-static test  
 Water: Fresh water  
 Exposure duration: 28 d  
 Method: ASTM Method, other

(Gammarus pulex (Amphipod)): 14989 mg/kg sediment dw  
 Study: Acute  
 Test Type: semi-static test  
 Water: Marine water  
 Exposure duration: 10 d

**Components:**

titanium dioxide:  
 Toxicity to terrestrial organisms : NOEC: 10,000 mg/kg  
 Exposure time: 672 h

Ecotoxicology Assessment  
 Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability**

Biodegradability - Product : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical : No data available

**TIOXIDE® TR48**

Version 2.3      Revision Date: 06/08/2018      SDS Number: 400000001354      Date of last issue: 03/14/2018  
Date of first issue: 09/02/2016

removability

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage Treatment : No data available

**Bioaccumulative potential****Components:**

titanium dioxide:  
Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 19 - 352  
Exposure time: 14 d  
Test substance: Fresh water  
Method: semi-static test  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : No data available

**Mobility in soil**

Mobility : No data available

**Components:**

titanium dioxide:  
Distribution among environmental compartments : Remarks: No data available  
Stability in soil : No data available

**Other adverse effects**

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Not applicable

Additional ecological information - Product : No data available

Global warming potential : No data available

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

(GWP)

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
This material and its container must be disposed of in a safe way.  
In accordance with local and national regulations.  
Dispose of wastes in an approved waste disposal facility.  
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA**

Not regulated as dangerous goods

**IMDG**

Not regulated as dangerous goods

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NOM-002-SCT**

Not regulated as dangerous goods

**Special precautions for user**

Not applicable

**SECTION 15. REGULATORY INFORMATION****The components of this product are reported in the following inventories:**

- |        |  |
|--------|--|
| CH INV | : On the inventory, or in compliance with the inventory                        |
| DSL    | : This product contains one or several components listed in the Canadian NDSL. |
| AICS   | : On the inventory, or in compliance with the inventory                        |
| NZIoC  | : On the inventory, or in compliance with the inventory                        |


**TIOXIDE® TR48**

Version 2.3      Revision Date: 06/08/2018      SDS Number: 40000001354      Date of last issue: 03/14/2018  
 Date of first issue: 09/02/2016

ENCS : On the inventory, or in compliance with the inventory  
 KECI : On the inventory, or in compliance with the inventory  
 PICCS : On the inventory, or in compliance with the inventory  
 IECSC : On the inventory, or in compliance with the inventory  
 TCSI : On the inventory, or in compliance with the inventory  
 TSCA : On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****HMIS® IV:**

<b>HEALTH</b>		<b>1</b>
<b>FLAMMABILITY</b>		<b>0</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Sources of key data used to compile the Safety Data Sheet : Information taken from reference works and the literature.,  
 Information derived from practical experience.

Revision Date : 06/08/2018

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 MX OEL : Mexico. Occupational Exposure Limits  
 NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits  
 ACGIH / TWA : 8-hour, time-weighted average  
 MX OEL / LMPE-PPT : Time weighted average  
 MX OEL / LMPE-CT : Short term exposure limit  
 NOM-010-STPS-2014 / VLE- : Time weighted average limit value

**TIOXIDE® TR48**

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2018
2.3	06/08/2018	40000001354	Date of first issue: 09/02/2016

PPT

This information is given in good faith to the best of our current reasonable knowledge, taking into consideration current status of technology as generally applied in the industry. For updates/more information, visit [www.venatorcorp.com](http://www.venatorcorp.com). NOTHING IN THIS COMMUNICATION IS (OR SHOULD BE TAKEN AS) A WARRANTY (EXPRESS OR IMPLIED). NO REPRESENTATION, ASSURANCE OR UNDERTAKING IS MADE. NO LIABILITY IS OR WILL BE ACCEPTED BY VENATOR IN RELATION TO THE ADEQUACY, ACCURACY, COMPLETENESS, REASONABLENESS OF THIS COMMUNICATION. ALL AND ANY SUCH LIABILITY IS EXPRESSLY DISCLAIMED. IN ALL CASES IT IS YOUR RESPONSIBILITY TO DETERMINE THE APPLICABILITY OF THE INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF THE PRODUCTS DESCRIBED FOR ANY PARTICULAR PURPOSE. Venator products are provided only for manufacturing, processing, formulation, treatment and other such activities. Unless otherwise expressly stated in this document or a valid safety data sheet, Venator products must not be used, resold, distributed, transferred, or otherwise disposed of in (or in each case where intended to be used in) any applications or process in: a) which lead stabilisers/stabilised systems are used where the end product is rigid pvc; b) food; c) cosmetics; d) pharmaceuticals; or e) medical. Nothing in this disclaimer or otherwise limits claims in respect of death or personal injury caused by our negligence. You have full responsibility to use products consistent with safety and technical data sheets. Once a Venator product is within your custody/control, you shall have full responsibility for and liability arising out of its storage, handling, transportation, sale, use, reuse, recycling and/or disposal, and of any derivative product, co-product, by-product or waste product therefrom, including the use of any such product alone or in combination with other substances, and compliance with any laws or regulations relating thereto. This is not: a) a license under any intellectual property right of any entity; or b) a recommendation or authorization to action that infringes any intellectual property right. Unless otherwise agreed in writing and signed by the parties, all sales are subject to the Venator standard terms and conditions of sale. Reference to Venator includes Venator Materials PLC, and any entity that it directly controls, is controlled by, or is under common control with it, and their employees, officers, agents and distributors. All the above applies to this document and anything else made available to you in any form or medium (written or verbal).

The trademarks above are the property of Venator or an affiliate thereof.

© Copyright 2018. Venator Materials PLC. All rights reserved.

TRANSLATION NOTE: This document is a translation of an original Venator communication written in English and is provided for the convenience of the reader. In the event of any discrepancy or ambiguity, the English version will control.