

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

SECTION 1. IDENTIFICATION

Product name : JEFFCAT® ZF-53

Manufacturer or supplier's details

Company name of supplier : Huntsman International LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : TechInfo: (281) 719-7780

E-mail address of person responsible for the SDS : Global_Product_EHS_HPP@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Catalyst

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Flammable liquids : Category 4
Acute toxicity (Dermal) : Category 4
Skin corrosion : Category 1B
Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/
face protection.

JEFFCAT® ZF-53

Version 2.0 Revision Date: 03/02/2020 SDS Number: 400001001276 Date of last issue: 08/09/2016
Date of first issue: 08/09/2016

Print Date 06/08/2020

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
1,4-diazabicyclooctane	280-57-9	20 - 30
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	10 - 20

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Treat symptomatically.
Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

- | | |
|---|--|
| In case of skin contact | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
Take victim immediately to hospital.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Notes to physician | : Treat symptomatically. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|--------------------------------------|---|
| Suitable extinguishing media | : Carbon dioxide (CO ₂)
Dry chemical
Foam |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Carbon oxides
Nitrogen oxides (NO _x) |
| Specific extinguishing methods | : No data is available on the product itself. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers. |

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Neutralise with acid.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.
Keep in a well-ventilated place.
Observe label precautions.
Keep in properly labelled containers.

Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.

Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type	Control	Basis
------------	---------	------------	---------	-------

JEFFCAT® ZF-53

Version 2.0 Revision Date: 03/02/2020 SDS Number: 400001001276 Date of last issue: 08/09/2016
Date of first issue: 08/09/2016

Print Date 06/08/2020

		(Form of exposure)	parameters / Permissible concentration	
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	TWA	0.05 ppm	ACGIH
		STEL	0.15 ppm	ACGIH

Personal protective equipment

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.
It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.
In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : yellow
Odour : amine-like
Odour Threshold : No data is available on the product itself.
pH : 11.5
Melting point : -38 °F / -39 °C

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

Boiling point	: 302 °F / 150 °C
Flash point	: 181.9 °F / 83.3 °C Method: closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: 1
Relative density	: 1.01
Density	: 1.01 g/cm3
Solubility(ies)	
Water solubility	: No data is available on the product itself.
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	
Viscosity, kinematic	: 52 mm2/s (77 °F / 25 °C)
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.
Particle size	: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
------------	---

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue: 08/09/2016
2.0	03/02/2020	400001001276	Date of first issue: 08/09/2016

Print Date 06/08/2020

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: carbon dioxide carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity - Product : Acute toxicity estimate: 23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity - Product : LD50 (Rabbit): > 1,000 mg/kg

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Product:**

Assessment: Causes burns.

Serious eye damage/eye irritation**Components:**

1,4-diazabicyclooctane:

Species: Rabbit

Result: Irreversible effects on the eye

Assessment: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Species: Rabbit

Result: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

Respiratory or skin sensitisation**Components:**

1,4-diazabicyclooctane:

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

Assessment: No data available

Germ cell mutagenicity**Components:**

1,4-diazabicyclooctane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Genotoxicity in vitro : Concentration: .08 - .18 mg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 479
Result: Not classified due to inconclusive data.

Metabolic activation: negative
Method: OECD Test Guideline 482
Result: negative

Components:

1,4-diazabicyclooctane:

Genotoxicity in vivo : Application Route: Oral
Dose: 0 - 900 mg/kg
Result: negative

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Genotoxicity in vivo : Application Route: Intraperitoneal injection
Dose: 45 - 145 mg/kg
Method: OECD Test Guideline 474
Result: negative

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

Germ cell mutagenicity-
Assessment : No data available

Carcinogenicity

No data available

Carcinogenicity -
Assessment : No data available

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:**

1,4-diazabicyclooctane:
Effects on fertility

: Species: Rat, male and female
Application Route: Oral
Dose: 100 milligram per kilogram
Frequency of Treatment: 7 days/week
Method: OECD Test Guideline 422
Result: negative

Components:

1,4-diazabicyclooctane:
Effects on foetal
development

: Species: Rat, female
Application Route: Oral
Result: No teratogenic effects

Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level:
300 mg/kg body weight
Method: OECD Test Guideline 422
Result: No teratogenic effects

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Species: Rabbit
Application Route: Dermal
General Toxicity Maternal: No observed adverse effect level:
2.5 mg/kg body weight
Embryo-foetal toxicity: No observed adverse effect level: 12

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue: 08/09/2016
2.0	03/02/2020	400001001276	Date of first issue: 08/09/2016

Print Date 06/08/2020

mg/kg body weight

Method: OECD Test Guideline 414

Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - : No data available
Assessment**STOT - single exposure**

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:**

1,4-diazabicyclooctane:

Species: Rat, male and female

LOEC: 60 mg/m3

Application Route: Ingestion

Test atmosphere: dust/mist

Exposure time: 696 h

Number of exposures: 7 d

Method: OECD Test Guideline 412

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Species: Rat, male and female

NOEC: 8.2 mg/m3

Application Route: Inhalation

Test atmosphere: vapour

Exposure time: 336 h

Number of exposures: 6 h

Method: Subacute toxicity

Repeated dose toxicity - : No data available
Assessment**Aspiration toxicity**

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Components:

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue: 08/09/2016
2.0	03/02/2020	400001001276	Date of first issue: 08/09/2016

Print Date 06/08/2020

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Eye contact : Symptoms: Blurred vision

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

1,4-diazabicyclooctane:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h
Test substance: Fresh water
Method: OECD Test Guideline 203

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): ca. 131.2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Components:

1,4-diazabicyclooctane:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 102 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Components:

1,4-diazabicyclooctane:

Toxicity to algae/aquatic : ErC50 (Selenastrum capricornutum (green algae)): 180 mg/l

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

plants
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):
Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 24 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Toxicity to fish (Chronic toxicity) : No data available

Components:

1,4-diazabicyclooctane:
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 92 mg/l
Exposure time: 48 hrs
Test Type: static test
Method: OECD Test Guideline 202

M-Factor (Chronic aquatic toxicity) : No data available

Toxicity to microorganisms : No data available

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment
Acute aquatic toxicity : No data available

Components:

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):
Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:**

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

1,4-diazabicyclooctane:**Biodegradability**

: Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 7 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: ca. 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):**Biodegradability**

: Inoculum: activated sludge
Result: Inherently biodegradable.
Biodegradation: < 10 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Biochemical Oxygen Demand (BOD)

: No data available

Chemical Oxygen Demand (COD)

: No data available

BOD/COD

: No data available

ThOD

: No data available

BOD/ThOD

: No data available

Dissolved organic carbon (DOC)

: No data available

Physico-chemical removability

: No data available

Stability in water

: No data available

Components:**1,4-diazabicyclooctane:****Photodegradation**

: Rate constant: < .00001

Impact on Sewage Treatment

: No data available

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue: 08/09/2016
2.0	03/02/2020	400001001276	Date of first issue: 08/09/2016

Print Date 06/08/2020

Bioaccumulative potential**Components:**

1,4-diazabicyclooctane:

Bioaccumulation

: Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): < 13
Exposure time: 42 d
Test substance: Fresh water
Remarks: Bioaccumulation is unlikely.

Bioconcentration factor (BCF): 3.16

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Bioaccumulation

: Remarks: Bioaccumulation is unlikely.

Components:

1,4-diazabicyclooctane:

Partition coefficient: n-octanol/water

: log Pow: -0.49

N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine):

Partition coefficient: n-octanol/water

: log Pow: -0.34 (68 °F / 20 °C)
Method: Partition coefficient

Mobility in soil

Mobility

: No data available

Distribution among environmental compartments

: No data available

Stability in soil

: No data available

Other adverse effects

Environmental fate and pathways

: No data available

Results of PBT and vPvB assessment

: No data available

Endocrine disrupting potential

: No data available

Adsorbed organic bound halogens (AOX)

: No data available

Hazardous to the ozone layer

Ozone-Depletion Potential

: Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

Additional ecological information : No data available

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and national regulations.
Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION**IATA**

UN/ID No. : UN 2735
Proper shipping name : Amines, liquid, corrosive, n.o.s.
(BIS(DIMETHYLAMINOETHYL)ETHER)
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG

UN number : UN 2735
Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.
(BIS(DIMETHYLAMINOETHYL)ETHER)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

National Regulations**DOT Classification**

UN/ID/NA number	: UN 2735
Proper shipping name	: AMINES, LIQUID, CORROSIVE, N.O.S. (BIS(DIMETHYLAMINOETHYL)ETHER)
Class	: 8
Packing group	: II
Labels	: CORROSIVE
ERG Code	: 153
Marine pollutant	: no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	---

SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

CH INV	: The formulation contains substances listed on the Swiss Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	03/02/2020	400001001276	08/09/2016
			Date of first issue: 08/09/2016

Print Date 06/08/2020

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH		3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 03/02/2020

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 ACGIH / TWA : 8-hour, time-weighted average
 ACGIH / STEL : Short-term exposure limit

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

JEFFCAT® ZF-53

Version	Revision Date:	SDS Number:	Date of last issue: 08/09/2016
2.0	03/02/2020	400001001276	Date of first issue: 08/09/2016

Print Date 06/08/2020

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.